Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
G. Attardi
S. Bernhard
D. Branton
J. Cairns
G. N. Cohen
D. M. Crothers
J. E. Darnell
W. F. Dove
G. von Ehrenstein
G. Felsenfeld
W. Gilbert
J. Hurwitz
A. Klug
D. E. Koshland
G. E. Palade
D. C. Phillips
L. Stryer
A. Tissières
J. Wyman

VOLUME 60
28 August 1971 to 28 September 1971

ACADEMIC PRESS
LONDON and NEW YORK

Copyright © 1971, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 60

NUMBER 1, 28 AUGUST 1971

COFFMAN, R. L., NORRIS, T. E. and KOCH, A. L., Chain Elongation Rate of Messenger and Polypeptides in Slowly Growing *Escherichia coli* . . 1

Appendix—KOCH, A. L., Distinction between Various Models for Messenger Decay 12

YUDELEVICH, A., Specific Cleavage of an *Escherichia coli* Leucine Transfer RNA following Bacteriophage T4 Infection 21

KENNETT, R. H. and SUEOKA, N., Gene Expression during Outgrowth of *Bacillus subtilis* Spores. The Relationship between Gene Order on the Chromosome and Temporal Sequence of Enzyme Synthesis . . . 31

BURLINGHAM, B. T., DOERFLER, W., PETTERSSON, U. and PHILIPSON, L., Adenovirus Endonuclease: Association with the Penton of Adenovirus Type 2 45

ZARITSKY, A. and PRITCHARD, R. H., Replication Time of the Chromosome in Thymineless Mutants of *Escherichia coli* 65

BEACHAM, I. R., BEACHAM, K., ZARITSKY, A. and PRITCHARD, R. H., Intracellular Thymidine Triphosphate Concentrations in Wild Type and in Thymine-requiring Mutants of *Escherichia coli* 15 and K12 . . . 75

SAENGER, W. and SUCK, D., Base Pairing of a Transfer RNA Minor Constituent: Geometry of the 1-Methyl-4-Thiouracil · 9-Methyladenine Base Pair . 87

DAVIS, D. G., LINDSTROM, T. R., MOCK, N. H., BALDASSARE, J. J., CHARACHE, S., JONES, R. T. and HO, C., Nuclear Magnetic Resonance Studies of Hemoglobins. VI. Heme Proton Spectra of Human Deoxyhemoglobins and their Relevance to the Nature of Co-operative Oxygenation of Hemoglobin 101

BANDYOPADHYAY, A. K. and DEUTSCHER, M. P., Complex of Aminoacyl-transfer RNA Synthetases 113

CROWTHER, R. A. and AMOS, L. A., Harmonic Analysis of Electron Microscope Images with Rotational Symmetry 123

BROKER, T. R. and LEHMAN, I. R., Branched DNA Molecules: Intermediates in T4 Recombination 131

BOSTOCK, C. J. and PRESCOTT, D. M., Shift in Buoyant Density of DNA during the Synthetic Period and its Relation to Euchromatin and Heterochromatin in Mammalian Cells 151

COLMAN, P. M. and MATTHEWS, B. W., Symmetry, Molecular Weight and Crystallographic Data for Sweet Potato β-Amylase 163

MOORE, P. B., Reaction of *N*-Ethyl Maleimide with the Ribosomes of *Escherichia coli* 169

LANDGRAF-LEURS, M. and GREEN, M., Adenovirus DNA. III. Separation of the Complementary Strands of Adenovirus Types 2, 7 and 12 DNA Molecules 185

LETTER TO THE EDITOR—

ERON, L., MORSE, D., REZNIKOFF, W. and BECKWITH, J., Fusions of the *lac* and *trp* Regions of *Escherichia coli*: Covalently Fused Messenger RNA 203

ANNOUNCEMENT 211

NUMBER 2, 14 SEPTEMBER 1971

MARSH, R. C., BRESCHKIN, A. M. and MOSIG, G., Origin and Direction of Bacteriophage T4 DNA Replication. II. A Gradient of Marker Frequencies in Partially Replicated T4 DNA as Assayed by Transformation . . 213

WENSINK, P. C. and BROWN, D. D., Denaturation Map of the Ribosomal DNA of *Xenopus laevis* 235

COOKE, R. and MORALES, M. F., Interaction of Globular Actin with Myosin Subfragments 249

BOOKCHIN, R. M. and NAGEL, R. L., Ligand-induced Conformational Dependence of Hemoglobin in Sickling Interactions 263

LATTMAN, E. E., NOCKOLDS, C. E., KRETSINGER, R. H., and LOVE, W. E., Structure of Yellow Fin Tuna Metmyoglobin at 6 Å Resolution . . 271

FERSHT, A. R. and REQUENA, Y., Equilibrium and Rate Constants for the Interconversion of Two Conformations of α-Chymotrypsin. The Existence of a Catalytically Inactive Conformation at Neutral pH. 279

ARTMAN, M. and ROTH, J. S., Chromosomal RNA: An Artifact of Preparation? . 291

NONOMURA, Y., BLOBEL, G. and SABATINI, D., Structure of Liver Ribosomes studied by Negative Staining 303

CORTE, G., SCHLESSINGER, D., LONGO, D. and VENKOV, P., Transformation of 17 s to 16 s Ribosomal RNA using Ribonuclease II of *Escherichia coli* . 325

VOGEL, Z., VOGEL, T., ZAMIR, A. and ELSON, D., Correlation between the Peptidyl Transferase Activity of the 50 s Ribosomal Subunit and the Ability of the Subunit to interact with Antibiotics 339

ZAMIR, A., MISKIN, R. and ELSON, D., Inactivation and Reactivation of Ribosomal Subunits: Amino Acyl-transfer RNA Binding Activity of the 30 s Subunit of *Escherichia coli* 347

BLACK, L. W. and GOLD, L. M., Pre-replicative Development of the Bacteriophage T4: RNA and Protein Synthesis *in vivo* and *in vitro* 365

LETTERS TO THE EDITOR—

BRODY, E. N., GOLD, L. M., and BLACK, L. W., Transcription and Translation of Sheared Bacteriophage T4 DNA *in vitro* 389

SMITH, D. A., MARTINEZ, A. M., and RATLIFF, R. L., The Role of Sulfhydryl Groups in the Binding of RNA Polymerase to Synthetic Polydeoxynucleotides. 395

FREIFELDER, D., Electron Microscopic Study of the Ethidium Bromide–DNA Complex 401

SWAN, I. D. A., Crystallization and Preliminary Crystallographic Data for the Acid Protease from *Rhizopus chinensis* 405

ERRATA 409

NUMBER 3, 28 SEPTEMBER 1971

VAPNEK, D. and DEAN RUPP, W., Identification of Individual Sex-factor DNA Strands and their Replication during Conjugation in Thermosensitive DNA Mutants of *Escherichia coli* 413

BANKS, G. R., BROWN, D. M., STREETER, D. G. and GROSSMAN, L., Mutagenic Analogues of Cytosine: RNA Polymerase Template and Substrate Studies 425

MANGIAROTTI, G., SCHLESSINGER, D. and KUWANO, M., Initiation of Ribosome-dependent Breakdown of T4-Specific Messenger RNA 441

JACQUET, M. and KEPES, A., Initiation, Elongation and Inactivation of *lac* Messenger RNA in *Escherichia coli* studied by Measurement of its β-Galactosidase Synthesizing Capacity *in vivo* 453

Appendix 468

ROBBERSON, D., ALONI, Y., ATTARDI, G. and DAVIDSON, N., Expression of the Mitochondrial Genome in HeLa Cells. VI. Size Determination of Mitochondrial Ribosomal RNA by Electron Microscopy. 473

Morrison, S. L., Zipser, D. and Goldschmidt, R., Polypeptide Products of Nonsense Mutations. II. Minor Fragments produced by Nonsense Mutations in the *z* Gene of the Lactose Operon of *Escherichia coli* 485

Epstein, H. F., Schechter, A. N., Chen, R. F. and Anfinsen, C. B., Folding of Staphylococcal Nuclease: Kinetic Studies of Two Processes in Acid Renaturation. 499

Wassarman, P. M. and Lentz, P. J., Jr., The Interaction of Tetra-iodofluorescein with Dogfish Muscle Lactate Dehydrogenase: A Chemical and X-ray Crystallographic Study. 509

Letter to the Editor—

Harrison, S. C., David, A., Jumblatt, J. and Darnell, J. E., Lipid and Protein Organization in Sindbis Virus 523

Index to Volume 60

Actin, globular, interaction with myosin subfragments, 249
Adenovirus endonuclease: association with the penton of adenovirus type 2, 45
— types 2, 7 and 12 DNA molecules, separation of the complementary strands, 185
Aloni, Y. (see also Robberson, D.), 473
Amino acyl-tRNA binding activity of the 30 s ribosomal subunit of *Escherichia coli*, 347
— — synthetase complex, 113
Amos, S. A. (see also Crowther, R. A.), 123
β-Amylase from sweet potato, symmetry, molecular weight and crystallographic data, 163
Anfinsen, C. B. (see also Epstein, H. F.), 499
Antibiotics, ability to interact with the 50 s ribosomal subunit correlated with peptidyl transferase activity, 339
Artman, M. & Roth, J. S., Chromosomal RNA: an artifact of preparation?, 291
Attardi, G. (see also Robberson, D.), 473

Bacillus subtilis, the relationship between gene order on the chromosome and temporal sequence of enzyme synthesis during outgrowth of the spores, 31
Bacteriophage T4 DNA partial replication, a gradient of marker frequencies as assayed by transformation, 213
— — recombination, intermediates of branched DNA molecules, 131
— —, RNA and protein synthesis *in vivo* and *in vitro*, 365
— —, sheared, DNA *in vitro*, transcription and translation, 389
— —, specific cleavage of an *Escherichia coli* leucine tRNA following infection, 21
— — -specific mRNA, initiation of ribosome-dependent breakdown, 441
Baldassare, J. J. (see also Davis, D. G.), 101
Bandyopadhyay, A. K. & Deutscher, M. P., Complex of aminoacyl-transfer RNA synthetases, 113
Banks, G. R., Brown, D. M., Streeter, D. G. & Grossman, L., Mutagenic analogues of cytosine: RNA polymerase template and substrate studies, 425
Base pairing of a tRNA minor constituent, 87
Beacham, I. R., Beacham, K., Zaritsky, A. & Pritchard, R. H., Intracellular thymidine triphosphate concentrations in wild type and in thymine-requiring mutants of *Escherichia coli* 15 and K12, 75
Beacham, K. (see also Beacham, I. R.), 75
Beckwith, J. (see also Eron, L.), 203
Black, L. W. (see also Brody, E. N.), 389
Black, L. W. & Gold, L. M., Pre-replicative development of the bacteriophage T4: RNA and protein synthesis *in vivo* and *in vitro*, 365
Blobel, G. (see also Nonomura, Y.), 303
Bookchin, R. M. & Nagel, R. L., Ligand-induced conformational dependence of haemoglobin in sickling interactions, 263
Bostock, C. J. & Prescott, D. M., Shift in buoyant density of DNA during the synthetic period and its relation to euchromatin and heterochromatin in mammalian cells, 151
Breschkin, A. M. (see also Marsh, R. C.), 213
Brody, E. N., Gold, L. M. & Black, L. W., Transcription and translation of sheared bacteriophage T4 DNA *in vitro*, 389
Broker, T. R. & Lehman, I. R., Branched DNA molecules: intermediates in T4 recombination, 131
Brown, D. D. (see also Wensink, P. C.), 235
Brown, D. M. (see also Banks, G. R.), 425
Burlingham, B. T., Doerfler, W., Pettersson, U. & Philipson, L., Adenovirus endonuclease; association with the penton of adenovirus type 2, 45

Charache, S. (see also Davis, D. G.), 101
Chen, R. F. (see also Epstein, H. F.), 499
Chromosomal RNA, an artifact in preparation?, 291
Chromosome gene order and temporal sequence of enzyme synthesis, the relationship during outgrowth of the spores of *Bacillus subtilis*, 31
— replication time in thymineless mutants of *Escherichia coli*, 65
α-Chymotrypsin interconversion, the existence of a catalytically inactive conformation at neutral pH, 279
Coffman, R. L., Norris, T. E. & Koch, A. L., Chain elongation rate of messenger and polypeptides in slowly growing *Escherichia coli*, 1
Colman, P. M. & Matthews, B. W., Symmetry, molecular weight and crystallographic data for sweet potato β-amylase, 163
Complementary strands of DNA molecules, separation in adenovirus types 2, 7 and 12, 185
Conjugation in thermosensitive DNA mutants of *Escherichia coli*, 413
Cooke, R. & Morales, M. F., Interaction of globular actin with myosin subfragments, 249
Corte, G., Schlessinger, D., Longo, D., Venkov, P., Transformation of 17 s to 16 s ribosomal RNA using ribonuclease II of *Escherichia coli*, 325
Crowther, R. A. & Amos, L. A., Harmonic analysis of electron microscope images with rotational symmetry, 123
Crystallization and preliminary crystallographic data for the acid protease from *Rhizopus chinensis*, 405
Crystallographic, symmetry and molecular weight data for sweet potato β-amylase, 163
Cytosine, mutagenic analogues: RNA polymerase template and substrate studies, 425

Darnell, J. E. (see also Harrison, S. C.), 523
David, A. (see also Harrison, S. C.), 523
Davidson, N. (see also Robberson, D.), 473
Davis, D. G., Lindstrom, T. R., Mock, N. H., Baldassare, J. J., Charache, S., Jones, R. T. & Ho, C., Nuclear magnetic resonance studies of haemoglobins. VI. Haem proton spectra of human deoxyhaemoglobins and their relevance to the nature of co-operative oxygenation of haemoglobin, 101
Dehydrogenase, lactate, of dogfish muscle, interaction with tetraiodofluorescein, chemical and X-ray crystallographic study, 509
Deoxyhaemoglobin, human, haem proton spectra and their relevance to the nature of co-operative oxygenation, 101
Deoxyribonucleic acid from bacteriophage T4, gradient of marker frequencies in partial replication as assayed by transformation, 213
— —, branched molecules: intermediates in T4 recombination, 131
— — molecules of adenovirus types 2, 7 and 12, separation of the complementary strands, 185
— —, ribosomal, of *Xenopus laevis*, a denaturation map, 235
— — sex-factor strands and their replication during conjugation in thermosensitive DNA mutants of *Escherichia coli*, 413
— — from sheared bacteriophage T4, *in vitro* translation and transcription, 389
— — shift in buoyant density during the synthetic period and its relation to euchromatin and heterochromatin in mammalian cells, 151
— — —ethidium bromide complex, electron microscopic study, 401
Deutscher, M. P. (see also Bandyopadhyay, A. K.), 113
Doerfler, W. (see also Burlingham, B. T.), 45
Dogfish muscle lactate dehydrogenase, interaction with tetra-iodofluorescein, chemical and X-ray crystallographic study, 509

Electron microscope images with rotational symmetry, harmonic analysis, 123
— microscopic study of the ethidium bromide–DNA complex, 401
— microscopy used for size determination of mitochondrial ribosomal RNA of HeLa cells, 473
Elson, D. (see also Vogel, Z.), 339
— (see also Zamir, A.), 347
Endonuclease of adenovirus: association with the penton of adenovirus type 2, 45
Enzyme synthesis during outgrowth of *Bacillus subtilis* spores, 31
Epstein, H. F., Schechter, A. N., Chen, R. F. & Anfinsen, C. B., Folding of staphylococcal nuclease: kinetic studies of two processes in acid renaturation, 499
Equilibrium and rate constants for the interconversion of two conformations of α-chymotrypsin 279

Eron, L., Morse, D., Reznikoff, W. & Beckwith, J., Fusions of the *lac* and *trp* regions of *Escherichia coli*: covalently fused messenger RNA, 203
Escherichia coli 15 and K12 wild type and thymine-requiring mutants, intracellular concentrations of thymidine triphosphate, 75
— —, amino acyl-tRNA, binding activity of the 30 s ribosomal subunit, 347
— —, *lac* mRNA, initiation, elongation and inactivation studies by measurement of its β-galactosidase synthesizing capacity *in vivo*, 453
— — — and *trp* regions, covalently fused messenger RNA, 203
— — leucine tRNA, specific cleavage following bacteriophage T4 infection, 21
— — ribonuclease II used in transformation of 17 s to 16 s ribosomal RNA, 325
— — ribosome reaction with *N*-ethyl maleimide, 169
— —, slowly growing, chain elongation rate of messenger and polypeptides, 1
— — thermosensitive DNA mutants, sex-factor DNA strands and their identification and replication during conjugation, 413
— — thymineless mutants, replication time of the chromosome, 65
— —, *z* gene nonsense mutations of the lactose operon producing minor polypeptide fragments, 485
Ethidium bromide–DNA complex, electron microscopic study, 401
N-ethyl maleimide reaction with the ribosomes of *Escherichia coli*, 169
Euchromatin and heterochromatin in mammalian cells, relationship to the shift in DNA buoyant density during the synthetic period, 151

Fersht, A. R. & Requena, Y., Equilibrium and rate constants for the interconversion of two conformations of α-chymotrypsin. The existence of a catalytically inactive conformation at neutral pH, 279
Freifelder, D., Electron microscopic study of the ethidium bromide–DNA complex, 401

β-Galactosidase synthesizing capacity: studies *in vivo* related to initiation, elongation and inactivation of *lac* mRNA in *Escherichia coli*, 453
Gene expression during outgrowth of *Bacillus subtilis* spores, 31
— *z*, of the lactose operon of *Escherichia coli*, nonsense mutations producing minor polypeptide fragments, 485
Genome, mitochondrial, of HeLa cells, size determination of ribosomal RNA by electron microscopy, 473
Geometry of the 1-methyl-4-thiouracil · 9 methyladenine base pair, 87
Gold, L. M. (see also Black, L. W.), 365
— (see also Brody, E. N.), 389
Goldschmidt, R. (see also Morrison, S. L.), 485
Green, M. (see also Landgraf-Leurs, M.), 185
Grossman, L. (see also Banks, G. R.), 425

Haemoglobin, haem proton spectra of human deoxyhaemoglobins and their relevance to the nature of co-operative oxygenation, 101
— ligand-induced conformational dependence in sickling interactions, 263
Harmonic analysis of electron microscope images with rotational symmetry, 123
Harrison, S. C., David, A., Jumblatt, J. & Darnell, J. E., Lipid and protein organization in Sindbis virus, 523
HeLa cells mitochondrial genome, size determination of ribosomal RNA by electron microscopy, 473
Heme (see Haem)
Hemoglobin (see Haemoglobin)
Heterochromatin and euchromatin in mammalian cells, 151
Ho, C. (see also Davis, D. G.), 101
Human deoxyhaemoglobin, haem proton spectra and their relevance to the nature of co-operative oxygenation, 101

Initiation, elongation and inactivation of *lac* mRNA in *Escherichia coli*, studies by measurement of its β-galactosidase synthesizing capacity *in vivo*, 453
— of ribosome-dependent breakdown of T4-specific mRNA, 441
Intracellular thymidine triphosphate concentrations in wild type and in thymine-requiring mutants of *Escherichia coli* 15 and K12, 75

Jacquet, M. & Kepes, A., Initiation, elongation and inactivation of *lac* messenger RNA in *Escherichia coli* studies by measurement of its β-galactosidase synthesizing capacity *in vivo*, 453
Jones, R. T. (see also Davis, D. G.), 101
Jumblatt, J. (see also Harrison, S. C.), 523

Kennett, R. N. & Sueoka, N., Gene expression during outgrowth of *Bacillus subtilis* spores. The relationship between gene order on the chromosome and temporal sequence of enzyme synthesis, 31
Kepes, A. (see also Jacquet, M.), 453
Koch, A. L. (see also Coffman, R. L.), 1, 12
Kretsinger, R. H. (see also Lattman, E. E.), 271
Kuwano, M. (see also Mangiarotti, G.), 441

lac mRNA in *Escherichia coli*, initiation, elongation and inactivation studies by measurement of its β-galactosidase synthesizing capacity *in vivo*, 453
— and *trp* regions of *Escherichia coli*: covalently fused mRNA, 203
Lactate dehydrogenase of dogfish muscle, interaction with tetra-iodofluorescein, chemical and X-ray crystallographic study, 509
Lactose operon, *z* gene from *Escherichia coli*, nonsense mutations producing minor polypeptide fragments, 485
Landgraf-Leurs, M. & Green, M., Adenovirus DNA. III. Separation of the complementary strands of adenovirus types 2, 7 and 12 DNA molecules, 185
Lattman, E. E., Nockolds, C. E., Kretsinger, R. H. & Love, W. E., Structure of yellow fin tuna metmyoglobin at 6 Å resolution, 271
Lehman, I. R. (see also Broker, T. R.), 131
Lentz, P. J. (see also Wassarman, P. M.), 509
Leucine tRNA of *Escherichia coli*, specific cleavage following bacteriophage T4 infection, 21
Ligand-induced conformational dependence of haemoglobin in sickling interactions, 263
Lindstrom, T. R. (see also Davis, D. G.), 101
Lipid and protein organization in Sindbis virus, 523
Liver ribosome structure studied by negative staining, 303
Longo, D. (see also Corte, G.), 325
Love, W. E. (see also Lattman, E. E.), 271

Maleimide, *N*-ethyl, reaction with the ribosomes of *Escherichia coli*, 169
Mammalian cells, shift in buoyant density of DNA during the synthetic period and its relation to euchromatin and heterochromatin, 151
Mangiarotti, G., Schlessinger, D. & Kuwano, M., Initiation of ribosome-dependent breakdown of T4-specific messenger RNA, 441
Marsh, R. C., Breschkin, A. M. & Mosig, G., Origin and direction of bacteriophage T4 DNA replication. II. A gradient of marker frequencies in partially replicated T4 DNA as assayed by transformation, 213
Martinez, A. M. (see also Smith, D. A.), 395
Matthews, B. W. (see also Colman, P. M.), 163
Messenger decay in slowly growing *Escherichia coli*, various models, 12
— RNA, covalently fused *lac* and *trp* regions of *Escherichia coli*, 203
— —, *lac*, from *Escherichia coli*, initiation, elongation and inactivation studies by measurement of its β-galactosidase synthesizing capacity *in vivo*, 453
— —, specific for bacteriophage T4, initiation of ribosome-dependent breakdown, 441
1-Methyl-4-thiouracil · 9-methyladenine base pair geometry, 87
Metmyoglobin of yellow fin tuna, structure at 6 Å resolution, 271
Miskin, R. (see also Zamir, A.), 347
Mitochondrial genome in HeLa cells, size determination of ribosomal RNA by electron microscopy 473
Mock, N. H. (see also Davis, D. G.), 101
Moore, P. B., Reaction of *N*-ethyl maleimide with the ribosomes of *Escherichia coli*, 169
Morales, M. F. (see also Cooke, R.), 249
Morrison, S. L., Zipser, D. & Goldschmidt, R., Polypeptide products of nonsense mutations. II. Minor fragments produced by nonsense mutations in the *z* gene of the lactose operon of *Escherichia coli*, 485

Morse, D. (see also Eron, L.), 203
Mosig, G. (see also Marsh, R. C.), 213
Muscle lactate dehydrogenase of dogfish, after interaction with tetra-iodofluorescein, chemical and X-ray crystallographic study, 509
Mutagenic analogues of cytosine: RNA polymerase template and substrate studies, 425
Mutants, thymineless, of *Escherichia coli*, replication time, 65
Mutations, nonsense, in the *z* gene of the lactose operon of *Escherichia coli*, minor polypeptide products, 485
Myosin subfragments, interaction with globular actin, 249

Nagel, R. L. (see also Bookchin, R. M.), 263
Negative staining used to study the structure of liver ribosomes, 303
Nockolds, C. E. (see also Lattman, E. E.), 271
Nonomura, Y., Blobel, G. & Sabatini, D., Structure of liver ribosomes studied by negative staining, 303
Nonsense mutations in the *z* gene of the lactose operon of *Escherichia coli*, minor polypeptide products, 485
Norris, T. E. (see also Coffman, R. L.), 1
Nuclear magnetic resonance studies of haemoglobins, 101
Nuclease, staphylococcal, kinetic studies of folding, 499

Operon, lactose, *z* gene from *Escherichia coli*, nonsense mutations producing minor polypeptide fragments, 485
Oxygenation, co-operative, of haemoglobin, 101

Penton of adenovirus type 2: association with adenovirus endonuclease, 45
Peptidyl transferase activity of the 50 s ribosomal subunit, correlation between its activity and ability to interact with antibiotics, 339
Pettersson, U. (see also Burlingham, B. T.), 45
Philipson, L. (see also Burlingham, B. T.), 45
Polydeoxynucleotides, synthetic, binding to RNA polymerase, the role of sulphydryl groups, 395
Polymerase for RNA binding to synthetic polydoxynucleotides, the role of sulphydryl groups, 395
—, RNA, template and substrate studies, mutagenic analogues of cytosine, 425
Polypeptide products of nonsense mutations in the *z* gene of the lactose operon of *Escherichia coli*, 485
Polypeptides, chain elongation rate of messenger and, in slowly growing *Escherichia coli*, 1
Prescott, D. M. (see also Bostock, C. J.), 151
Pritchard, R. H. (see also Beacham, I. R.) 75
— (see also Zaritsky, A.), 65
Protease, acid, from *Rhizopus chinensis*, preliminary crystallographic data, 405
Protein and lipid organization in Sindbis virus, 523
— — RNA synthesis *in vivo* and *in vitro* in bacteriophage T4, 365

Ratliff, R. L. (see also Smith, D. A.), 395
Recombination in bacteriophage T4, intermediates of branched DNA molecules, 131
Renaturation, acid: kinetic studies of folding of staphylococcal nuclease, 499
Replication time of the chromosome in thymineless mutants of *Escherichia coli*, 65
Requena, Y. (see also Fersht, A. R.), 279
Reznikoff, W. (see also Eron, L.), 203
Rhizopus chinensis acid protease, preliminary crystallographic data, 405
Ribonuclease II of *Escherichia coli* in the transformation of 17 s to 16 s ribosomal RNA, 325
Ribonucleic acid, amino acyl-transfer, binding activity of the 30 s ribosomal subunit of *Escherichia coli*, 347
— —, chromosomal, an artifact of preparation?, 291
— —, messenger, covalently fused *lac* and *trp* regions of *Escherichia coli*, 203
— — —, *lac* initiation, elongation and inactivation studies by measurement of its β-galactosidase synthesizing capacity *in vivo* in *Escherichia coli*, 453
— — —, specific for bacteriophage T4, initiation of ribosome-dependent breakdown, 441
— — polymerase, template and substrate studies, mutagenic analogues of cytosine, 425
— — — binding to synthetic polydeoxynucleotides, the role of sulphydryl groups, 395

Ribonucleic acid and protein synthesis *in vivo* and *in vitro* in bacteriophage T4, 365
— —, ribosomal, transformation of 17 s to 16 s, using ribonuclease II of *Escherichia coli*, 325
— —, transfer, base pairing of a minor constituent, 87
— — — for leucine, of *Escherichia coli*, specific cleavage following bacteriophage T4 infection, 21
— — —, synthetases–aminoacyl complex, 113
Ribosomal DNA of *Xenopus laevis*, a denaturation map, 235
— —, mitochondrial, in HeLa cells, size determination by electron microscopy, 473
— —, transformation of 17 s to 16 s using ribonuclease II of *Escherichia coli*, 325
— subunit, 50 s, correlation between the peptidyl transferase activity of the subunit and its ability to interact with antibiotics, 339
— subunits, inactivation and reactivation, 347
Ribosome-dependent breakdown of T4-specific mRNA, initiation, 441
Ribosomes of *Escherichia coli* reaction with *N*-ethyl maleimide, 169
—, liver, structure studied by negative staining, 303
Robberson, D., Aloni, Y., Attardi, G. & Davidson, N., Expression of the mitochondrial genome in HeLa cells. VI. Size determination of mitochondrial ribosomal RNA by electron microscopy, 473
Roth, J. S. (see also Artman, M.), 291
Rupp, W. D. (see also Vapnek, D.), 413

Sabatini, D. (see also Nonomura, Y.), 303
Saenger, W. & Suck, D., Base pairing of a transfer RNA minor constituent: geometry of the 1-methyl-4-thiouracil · 9-methyladenine base pair, 87
Schechter, A. N. (see also Epstein, H. F.), 499
Schlessinger, D. (see also Corte, G.), 325
— (see also Mangiarotti, G.), 441
Sex-factor DNA strands and their replication during conjugation in thermosensitive DNA mutants of *Escherichia coli*, 413
Sheared bacteriophage T4 DNA *in vitro*, transcription and translation, 389
Sickling interactions, ligand-induced conformational dependence of haemoglobin, 263
Sindbis virus, protein and lipid organization, 523
Smith, D. A., Martinez, A. M., & Ratliff, R. L., Role of sulphydryl groups in the binding of RNA polymerase to synthetic polydeoxynucleotides, 395
Spores of *Bacillus subtilis*, the relationship between gene order on the chromosomes and temporal sequence of enzyme synthesis during outgrowth, 31
Staphylococcal nuclease folding, kinetic studies, 499
Streeter, D. G. (see also Banks, G. R.), 425
Suck, D. (see also Saenger, W.), 87
Sueoka, N. (see also Kennett, R. N.), 31
Sulphydryl group, role in the binding of RNA polymerase to synthetic polydeoxynucleotides, 395
Swan, I. D. A., Crystallization and preliminary crystallographic data for the acid protease from *Rhizopus chinensis*, 405
Sweet potato β-amylase, symmetry, molecular weight and crystallographic data, 163
Symmetry, molecular weight and crystallographic data for sweet potato β-amylase, 163
—, rotational, of electron microscope images, harmonic analysis, 123
Synthetases, tRNA–aminoacyl complex, 113

T4 (see Bacteriophage)
Tetra-iodofluorescein interaction with dogfish muscle lactate dehydrogenase, chemical and X-ray crystallographic study, 509
Thermosensitive DNA mutants of *Escherichia coli*, sex-factor DNA strands, their identification and replication during conjugation, 413
Thymidine triphosphate, intracellular concentrations in wild type and in thymine-requiring mutants of *Escherichia coli* 15 and K12, 75
Thymineless mutants of *Escherichia coli*, replication time of the chromosome, 65
Transcription and translation of sheared bacteriophage T4 DNA *in vitro*, 389
Transfer RNA, amino acyl, binding activity of the 30 s ribosomal subunit of *Escherichia coli*, 347
— —, base pairing of a minor constituent, 87
— — for leucine, of *Escherichia coli*, specific cleavage following bacteriophage T4 infection, 21
— — synthetase–aminoacyl complex, 113
Transferase, peptidyl, activity of the 50 s ribosomal subunit, correlation between its activity and ability to interact with antibiotics, 339

Transformation assay showing a gradient of marker frequencies in partially replicated T4 DNA, 213
trp and *lac* regions of *Escherichia coli*: covalently fused mRNA, 203
Tuna, yellow fin, structure of metmyoglobin at 6 Å resolution, 271

Vapnek, D. & Rupp, W. D., Identification of individual sex-factor DNA strands and their replication during conjugation in thermosensitive DNA mutants of *Escherichia coli*, 413
Venkov, P. (see also Corte, G.), 325
Virus, Sindbis, protein and lipid organization, 523
Vogel, T. (see also Vogel, Z.), 339
Vogel, Z., Vogel, T., Zamir, A. & Elson, D., Correlation between the peptidyl transferase activity of the 50 s ribosomal subunit and the ability of the subunit to interact with antibiotics, 339

Wassarman, P. M. & Lentz, P. J., The interaction of tetra-iodofluorescein with dogfish muscle lactate dehydrogenase: a chemical and X-ray crystallographic study, 509
Wensink, P. C. & Brown, D. D., Denaturation map of the ribosomal DNA of *Xenopus laevis*, 235
Wild type and thymine-requiring mutants of *Escherichia coli* 15 and K12, intracellular concentrations of thymidine triphosphate, 75

X-ray crystallography of dogfish muscle lactate dehydrogenase after interaction with tetra-iodofluorescein, 509
Xenopus laevis ribosomal DNA, a denaturation map, 235

Yellow fin tuna metmyoglobin, structure at 6 Å resolution, 271
Yudelevich, A., Specific cleavage of an *Escherichia coli* leucine transfer RNA following bacteriophage T4 infection, 21

Zamir, A. (see also Vogel, Z.), 339
—, Miskin, R. & Elson, D., Inactivation and reactivation of ribosomal subunits: amino acyl-transfer RNA binding activity of the 30 s subunit of *Escherichia coli*, 347
Zaritsky, A. (see also Beacham, I. R.), 75
— & Pritchard, R. H., Replication time of the chromosome in thymineless mutants of *Escherichia coli*, 65
Zipser, D. (see also Morrison, S. L.), 485